




December 17, 2013

Via Federal Express

Permit Contact (3 EN 23) Environmental Protection Agency 1650 Arch Street Philadelphia, PA 19103 - 2029



Re: Benning Service Center - NPDES Permit Application for Renewal of Permit No. DC0000094

Dear Sir/Madam:

Potomac Electric Power Company (Pepco) is pleased to submit an application for renewal of the Benning Service Center NPDES Permit. The application consists of EPA Forms 1, 2C and 2F, and various supporting attachments.

Please note that the facility named on the existing permit is the "Benning Generating Station." This generating station was one of several operations at the Benning Service Center site covered by this permit. As previously report to EPA, the power plant ceased operation in June 2012, but the site continues to function as a service center for Pepco's electric transmission and distribution system (including fleet services maintenance, transformer maintenance, and temporary storage of PCB materials and hazardous wastes) and houses three electric substations. For this reason, the renewal application uses "Benning Service Center" as the facility name.

As indicated in the application forms and attachments, the shutdown of the power plant has eliminated several of the process water discharges covered by the existing permit. The only remaining process water discharge is the effluent from the oil/water separator that is used to treat water removed from utility vaults within the District of Columbia and transported to the Benning Service Center (identified as monitoring point 003 in the current permit). All of the remaining discharges at the site consist of storm water.

Please also note that the power plant buildings and associated infrastructure (e.g., cooling towers) are currently being dismantled and removed from the site. The dismantling and removal of all of the power plant facilities is currently scheduled for completion by September 2014. As a result of the demolition activities, we currently do not have access to all of the necessary sampling points, and we have therefore been unable to collect and analyze samples of the facility discharges as necessary to provide all of the data that will be required to process the permit renewal application. As described further below, we expect to be able to collect the necessary samples within the next 90 days, and will

supplement this application with the additional data once that testing has been completed. In the meantime, we are submitting the application, in accordance with the deadline specified in the existing permit, using the existing and available information.

Please note the following additional information in response to certain items on the application forms:

1. Form 2C

Part II.A. - An existing flow line diagram is provided at Attachment 4. This flow line diagram was previously submitted to EPA on May 16, 2005 for the renewal of the Benning NPDES permit. As noted above, since the power plant shut down in June 2012, sources of intake water and various operations contributing process water to the effluent discharges from the facility have been eliminated. An updated flow line diagram will be provided to EPA upon completion of power plant demolition.

Part V. - All discharges (including storm and non-storm water discharges) from the facility to the Anacostia River are via Outfalls 013 and 101. Outfall 013 has been inaccessible (covered with mesh filter fabric which is secured with clean rock) since the demolition of cooling towers commenced in November 2013. Upon completion of cooling towers demolition, stormwater samples will be collected from this outfall and Outfall 101 during a qualifying storm event. Tables V.A, V.B, and V.C will be provided to EPA upon completion of testing.

2. **Form 2F**

Part III. - An existing Drainage Area Map is provided at Attachment 7. This map was previously submitted to EPA on May 16, 2005 for renewal of the Benning NPDES application. An updated map will be provided to EPA upon completion of the power plant demolition.

Part VII. – As explained above with respect to item V of Form 2C, Tables VII.A, VII.B, VII.C, and VII.D will be provided to EPA upon completion of discharge testing.

Please contact Fariba Mahvi at (202) 331-6641 or fmahvi@pepco.com, if you have any questions or need additional information regarding this submittal.

Sincerely,

George P Nelson,

Vice President, Operations and Engineering

PHI Service Company

Henze P. Melan

cc: Ms. Mary Letzkus, Water Protection Division, USEPA Region III Mr. Collin Burrell, Water Quality Division, DDOE

Attachments

FORM

FORM						ON AGENCY	I. EPA I.D. NUMBER					
1	ŞEPA				IFORMA [*] Permits Prog		5 DC 0000094			T/A C		
GENERAL					uctions" befo		F DC 0000094		13	14 15		
LABEL	ITEMS						GENERAL INSTRU		s	7 E		
I. EPA I.D. I	NUMBER						designated space. Review the inform is incorrect, cross through it and ent	ation c	arefully correct	if any of it data in the		
III. FACILITY		DI FASE	DI AC	SE I AI	BEL IN THIS	SPACE	appropriate fill-in area below. Also, if is absent (the area to the left of information that should appear), plea	the lab	el spac	ce lists the		
V. FACILITY		l LENGE	· r LAC) L D\	DEC 114 1111	JUNE	fill-in area(s) below. If the label is c need not complete Items I, III, V, a	omplete nd VI (e and c	orrect, you VI-B which		
ADDRESS	3						must be completed regardless). Con has been provided. Refer to the ins descriptions and for the legal author	truction	s for de	etailed item		
	LOCATION						data is collected.	ization	, under	William ulis		
	CHARACTERIS									KOLLET		
submit this form you answer "no	n and the suppler to each questio	mental form listed in the pare	nthesis	s follow	wing the qu s. You may	estion. Mark "X" in the box in answer "no" if your activity is e	he EPA. If you answer "yes" to an the third column if the supplement excluded from permit requirements	ital for	m is at	tached. If		
	SPECIFIC QU	ESTIONS	YES	Mark NO	FORM	SPECIFIC	QUESTIONS	YES	Mark NO	FORM		
	a publicly own	ed treatment works which ers of the U.S.? (FORM 2A)		Y	ATTACHED	B. Does or will this facility	(either existing or proposed) animal feeding operation or			ATTACHED		
results in a a	ischarge to wate	of the o.o.? (I OKW ZA)	16	17	18		ion facility which results in a	19	20	21		
		tly results in discharges to n those described in A or B	X		X		(other than those described in A sult in a discharge to waters of		X			
above? (FOF			22	23	24	the U.S.? (FORM 2D)		25	26	27		
	II this facility tr vastes? (FORM 3	eat, store, or dispose of 3)		X		municipal effluent belo	ect at this facility industrial or ow the lowermost stratum		X			
			28	29	30	underground sources of di	quarter mile of the well bore, rinking water? (FORM 4)	31	32	33		
or other flu connection w inject fluids u gas, or inject	ids which are li with conventional dused for enhance	s facility any produced water brought to the surface in oil or natural gas production, ed recovery of oil or natural ge of liquid hydrocarbons?		×		processes such as mining	at this facility fluids for special of sulfur by the Frasch process, als, in situ combustion of fossil ermal energy? (FORM 4)		×			
(FORM 4)	a proposed stat	ionary source which is one	34	35	36	I le this facility a propose	d stationary source which is	37	38	39		
of the 28 indu	ustrial categories	listed in the instructions and 0 tons per year of any air		\times		NOT one of the 28 ind	ustrial categories listed in the ill potentially emit 250 tons per		X			
pollutant regu		Clean Air Act and may affect	40	41	42	year of any air pollutant re	egulated under the Clean Air Act cated in an attainment area?	43	44	45		
						(FORM 5)						
III. NAME OF I								77				
1 SNIF BE	enning Ser	rvice Center						69				
IV. FACILITY (CONTACT		3000	1969			TENTO ESTABLE		THE REAL PROPERTY.			
clll		A. NAME & TITLE (last,	first, c	& title)			B. PHONE (area code & no.)					
Mahvi,	Fariba,	Lead Environment	tal	Eng	jineer	45 4	(202) 331-6641 16 48 49 51 52- 56	5				
	LING ADDRESS	建设的联系等和		2.79	1. THE 15 C.					11000		
		A. STREET OR P.	O. BO	X				2 -		Lite		
	nth Street	, NW Room 6220		1 1	1 1 1							
15 16		B. CITY OR TOWN	-			C. STATE	D. ZIP CODE					
Washing	gton				111	DC 20	068					
15 16						40 41 42 47	51			12000		
VI. FACILITY L				OLE LO					48.5			
c 3400 Be	I I I I	EET, ROUTE NO. OR OTHEI ad, NE	K SPE	T	IDENTIFIE	45						
		B. COUNTY	NAME									
16			Т	į.			70					
e		C. CITY OR TOWN					E. ZIP CODE F. COUNTY CO	DE (ij	known)		
Washing	gton ''		' '		1 1 1	DC 20	0019					

U.S. ENVIRONMENTAL PROTECTION AGENCY

CONTINUED FROM THE FRONT		
VII. SIC CODES (4-digit, in order of priority) A. FIRST	THE SECRETARIAN AND ADDRESS OF THE RESERVE OF THE R	ECOND
c (specify)	G (specify)	ECOND
7 4911 Electric Services	[7]	
15 16 - 19 C. THIRD	15 16 - 19	OURTH
C. THIKD	c (specify)	OOKTI
7	7	
VIII. OPERATOR INFORMATION	15 16 - 19	
A. NAME	1970 - 1970 - 1984 - 1982 - 1985 - 1986 - 1986 - 1986 - 1986 - 1985 - 1986 - 1986 - 1986 - 1986 - 1986 - 1986 - 1986 - 1986 - 1986 - 1986 - 1986 - 1986 - 1986 - 1986 - 198	B. Is the name listed in Item
8 Potomac Electric Power Company		VIII-A also the owner?
8 Potomac Electric Power Company		Ø YES □ NO
C. STATUS OF OPERATOR (Enter the appropriate letter in	o the anguer hav: if "Other" enecify)	D. PHONE (area code & no.)
F = FEDERAL	(specify)	<u> </u>
M = PUBLIC (other than federal or state) D	14-1-999	A (202) 872-2000
P = PRIVATE O = OTHER (specify)	-	15 6 - 18 19 - 21 22 - 26
E. STREET OR P.O. BOX		100 0 10 20 20
701 Ninth Street NW		
26	55	
F. CITY OR TOWN	G. STATE H. ZIP CO	
B Washington	DC 20068	Is the facility located on Indian lands?
15 16		51 52 MO
X. EXISTING ENVIRONMENTAL PERMITS		
	ir Emissions from Proposed Sources)	
C T I C T I		
9 N DC0000094 9 P NA		
15 16 17 18 30 15 16 17 18	30	
B. UIC (Underground Injection of Fluids)	E. OTHER (specify)	
9 U NA (see	Attachment 1) (spe	ecify)
15 16 17 18 30 15 16 17 18	30	
C. RCRA (Hazardous Wastes)	E. OTHER (specify)	
(see Attachment 1)		cify)
15 16 17 18 30 15 16 17 18 XI. MAP	30	
Attach to this application a topographic map of the area extending to at least	one mile beyond property boundaries. The ma	an must show the outline of the facility, the
location of each of its existing and proposed intake and discharge structures, e	ach of its hazardous waste treatment, storage,	or disposal facilities, and each well where it
injects fluids underground. Include all springs, rivers, and other surface water bo	dies in the map area. See instructions for precis	e requirements.
XII. NATURE OF BUSINESS (provide a brief description)	537 S.D. 1981 S. C.A. 55 C. 1982 (A.D.)	
100 STG 54 SHO D 45 SL MOT MATRIX W \$1500		
The Benning Service Center Facility occupies 77 acre Facility is comprised of a retired electric generation		
station was shut down in June 2012 and is currently		
scheduled to be completed by September 2014. The ser	vice center supports Pepco's ope	eration of its electric
transmission and Distribution system and houses three		
switchyard and a newly constructed 115 kV switchyard Shop, and PCB and hazardous waste accumulation tempo.		Transformer Maintenance
	A A Principal Company of the Company	
Note - This is not a Treatment, Storage and Disposal	Facility (TSDF).	
See Attachment 2 - Site Location Map		
YIII CERTIFICATION (see instructions)	NAMES OF THE OWNER OF THE OWNER OF THE OWNER.	
XIII. CERTIFICATION (see instructions)		
I certify under penalty of law that I have personally examined and am familiar vinquiry of those persons immediately responsible for obtaining the information		
am aware that there are significant penalties for submitting false information, inc		
A. NAME & OFFICIAL TITLE (type or print) B. SIGNAT	URE	C. DATE SIGNED
George P Nelson,	A 000 A	s 1
VP, Operations and Engineering	200 P (100V	12/17/2013
	my 1. / fleen	12/11/2-10
COMMENTS FOR OFFICIAL USE ONLY		
	1 # 1 1 1 1 1 1 1 1 1 1 1 1	

Form Approved. OMB No. 2040-0086. Approval expires 3-31-98.

Please print or type in the unshaded areas only.

2C SEPA

U.S. ENVIRONMENTAL PROTECTION AGENCY
APPLICATION FOR PERMIT TO DISCHARGE WASTEWATER
EXISTING MANUFACTURING, COMMERCIAL, MINING AND SILVICULTURE OPERATIONS
Consolidated Permits Program

I. OUTFAL	LL LOCATION									
For each of	outfall, list the	latitude ar			the nearest 1	5 seconds and	d the name of t	the receiving water.		MARKET CONTROL
	LL NUMBER		B. LATITUDE	-		C. LONGITUD	-	D BECENTING WATE		
	(list)	1. DEG.	5. 2. MIN.	3. SEC.	1. DEG.	2. MIN.	3. SEC.	D. RECEIVING WATE	R (name)	
(See Att	tachment	3)								
	W-10-11-00-00-00-00-00-00-00-00-00-00-00-			- 1007 124-00-0						
						-				
			_							
II. FLOWS	, SOURCES (OF POLLI	UTION, AND TRI	EATMENT T	ECHNOLOG	IES				
labeled treatme	d to corresponent units, and	nd to the moutfalls. If	nore detailed des	scriptions in I	Item B. Const determined (e	truct a water b	palance on the l	perations contributing wastewater to the e line drawing by showing average flows b ties), provide a pictorial description of the	etween intakes	s, operations,
	torm water run							, including process wastewater, sanitary nent received by the wastewater. Contin		
1. OUT-		2. OF	PERATION(S) CO	ONTRIBUTIN	IG FLOW			3. TREATMENT		
FALL NO. (list)	a.	OPERATI	ION (list)	b	o. AVERAGE I		THEOLOGIC MILES OF THE	a. DESCRIPTION		DES FROM E 2C-1
	(See Atta	chmen	nt 5)		7000 00 00 00 00 00 00 00 00 00 00 00 00				1	
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
1	-			-					+	
				-					+	
							CONTRACTOR STREET			

		and the second second				or-consensation or metalogical	Personal Little Committee			
1				+					+	
	-			+	-10-11/1-10-10-10-10-10-10-10-10-10-10-10-10-10					
1									a barren a d	
				-					-	
					**************					Wenners was a
									1	
	Service and the service of								and the way were a second	
OFFICIAL	USE ONLY (e	ffluent gui	idelines sub-catego	ories)				2000, <u>34, 42 - 2015, 2014, 34 - 34 - 34 - 34 - 34 - 34 - 34 - 34</u>		

CONTINUED FROM THE FRONT C. Except for storm runoff, leaks, or spills, are any of the discharges described in Items II-A or B intermittent or seasonal? YES (complete the following table) NO (go to Section III) 3. FREQUENCY 4. FLOW B. TOTAL VOLUME a. DAYS PER WEEK (specify 2. OPERATION(s) b. MONTHS a. FLOW RATE (in mgd) 1. OUTFALL NUMBER (list) CONTRIBUTING FLOW PER YEAR (specify average) C. DURATION 1. LONG TERM AVERAGE 2. MAXIMUM DAILY 1. LONG TERM 2. MAXIMUM (list) AVERAGE DAILY (in days) OWS just ahead of MP 003.See 013 1 - 2 per 0.005 0.006 5000 6000 12 2 hours Attachment 5A for further details. month mgd mgd gallon gallon III. PRODUCTION A. Does an effluent guideline limitation promulgated by EPA under Section 304 of the Clean Water Act apply to your facility?X YES (complete Item III-B) NO (go to Section IV) B. Are the limitations in the applicable effluent guideline expressed in terms of production (or other measure of operation)? YES (complete Item III-C) X NO (go to Section IV) C. If you answered "yes" to Item III-B, list the quantity which represents an actual measurement of your level of production, expressed in the terms and units used in the applicable effluent guideline, and indicate the affected outfalls. 1. AVERAGE DAILY PRODUCTION 2. AFFECTED OUTFALLS c. OPERATION, PRODUCT, MATERIAL, ETC. a. QUANTITY PER DAY b. UNITS OF MEASURE (list outfall numbers) (specify) IV. IMPROVEMENTS A. Are you now required by any Federal, State or local authority to meet any implementation schedule for the construction, upgrading or operations of wastewater treatment equipment or practices or any other environmental programs which may affect the discharges described in this application? This includes, but is not limited to, permit conditions, administrative or enforcement orders, enforcement compliance schedule letters, stipulations, court orders, and grant or loan conditions. YES (complete the following table) X NO (go to Item IV-B) 1. IDENTIFICATION OF CONDITION, 2. AFFECTED OUTFALLS 4. FINAL COMPLIANCE DATE 3. BRIEF DESCRIPTION OF PROJECT AGREEMENT, ETC. b. SOURCE OF DISCHARGE a. REQUIRED b. PROJECTED a. NO. B. OPTIONAL: You may attach additional sheets describing any additional water pollution control programs (or other environmental projects which may affect your discharges) you now have underway or which you plan. Indicate whether each program is now underway or planned, and indicate your actual or planned schedules for construction MARK "X" IF DESCRIPTION OF ADDITIONAL CONTROL PROGRAMS IS ATTACHED

EPA Form 3510-2C (8-90) PAGE 2 of 4 CONTINUE ON PAGE 3

EPA I.D. NUMBER (copy from Item 1 of Form 1)

DC0000094

CONTINUED FROM PAGE 2

V. INTAKE AND EFFLUENT CHARACTER			
NOTE: Tables V-A, V-B, and V	ding – Complete one set of tables for each of -C are included on separate sheets number	ed V-1 through V-9.	
D. Use the space below to list any of the from any outfall. For every pollutant you	pollutants listed in Table 2c-3 of the instruc ulist, briefly describe the reasons you believ	tions, which you know or have reason to be it to be present and report any analytical	pelieve is discharged or may be discharged data in your possession.
1. POLLUTANT	2. SOURCE	1. POLLUTANT	2. SOURCE
NA			1 D.P. v. Dr (School of Part) (100 No. 2000) 100
VI. POTENTIAL DISCHARGES NOT COVI			
	nce or a component of a substance, which y		ermediate or final product or byproduct?
YES (list all such pollutants l	pelow)	NO (go to Item VI-B)	

CONTINUED FROM THE FRONT			
VII. BIOLOGICAL TOXICITY TESTING DATA			
relation to your discharge within the last 3 years			scharges or on a receiving water in
X YES (identify the test(s) and desc		NO (go to Section VIII)	
) Test - Effluent samples from Outfal	경기 등 위한 10 전 10	and one of the contract of the
E	collected for WET testing in Septem		
pulex) and fathead minnow (Pimep	hales promelas). The 48 hour screen	ing tests were performed in	accordance with the
methods described in EPA documer	nt 821-R-02-012. The analytical resul	ts did not indicate that the s	amples were acutely toxic to
the two test species. A report of th	ne WET testing was submitted to EPA	with the DMRs for Septemi	per 2013.
VIII. CONTRACT ANALYSIS INFORMATION			
Were any of the analyses reported in Item V pe	rformed by a contract laboratory or consulting firm	n?	
	telephone number of, and pollutants analyzed by,	X NO (go to Section IX)	
each such laboratory or firm		C. TELEPHONE	D. POLLUTANTS ANALYZED
A. NAME	B. ADDRESS	(area code & no.)	(list)
(See cover letter for further details).			
IX. CERTIFICATION		Martin Co. Martin Co.	
I certify under penalty of law that this documer qualified personnel properly gather and evalu- directly responsible for gathering the informati- are significant penalties for submitting false info	nt and all attachments were prepared under my c late the information submitted. Based on my in on, the information submitted is, to the best of m ormation, including the possibility of fine and impi	quiry of the person or persons who y knowledge and belief, true, accurate isonment for knowing violations.	manage the system or those persons
A. NAME & OFFICIAL TITLE (type or print) George P Nelson, VP, Operations	and Engineering	B. PHONE NO. (area code & no.) (202) 872-2301	
C. SIGNATURE		D. DATE SIGNED	
John T. Welan	•	12/17/2013	

PLEASE PRINT OR TYPE IN THE UNSHADED AREAS ONLY. You may report some or all of this information on separate sheets (*use the same format*) instead of completing these pages. SEE INSTRUCTIONS.

EPA I.D. NUMBER (copy from Item 1 of Form 1 DC0000094

V. INTAKE AND	EFFLUEN	T CHARAC	TERISTICS (contin	ued from page 3 o	of Form 2-C)								UTFALL NO	
PART A -You m	ust provide	the results	of at least one ana	lysis for every poll	utant in this table	e. Complete on	e table for each out	fall. See instru	uctions for add	itional details.				
Tables V-A, V V-C will be pr					2.		Mew Town			3. UNI (specify if			. INTAKE (optional)	
upon comple testing. See	tion of		UM DAILY VALUE	1 12		c. LON	IG TERM AVRG. V (if available)	ALUE	d. NO. OF	a. CONCEN-		a. LONG TERM		VO. 05
letter for furt explanation.	ther	CONCENTRA N	ATIO (2) MASS	CONCENTRATION	N (2) MASS	(1) CONCE	ENTRATION	2) MASS	ANALYSES	TRATION	b. MASS	(1) CONCENTRATION		NO. OF ALYSES
a. Biochemical C Demand (BOD)	Oxygen													
b. Chemical Oxy Demand (COD)	rgen													
c. Total Organic (TOC)	Carbon													
d. Total Suspend Solids (TSS)	ded													
e. Ammonia (as i	V)													
f. Flow		VALUE		VALUE		VALUE						VALUE		Providence (Van Doorse Lu
g. Temperature (winter)		VALUE		VALUE		VALUE				°C		VALUE		
h. Temperature (summer)		VALUE		VALUE		VALUE				°C		VALUE		
i. pH		MINIMUM	MAXIMUM	MINIMUM	MAXIMUM					STANDARD	UNITS			
direc	tly, or indi	rectly but ex	xpressly, in an efflu	uent limitations qu	uideline, vou mu	st provide the	"X" in column 2-b for results of at least each outfall. See the	one analysis	for that pollut	ant For other o	ollutants for v	umn 2a for any poll which you mark col	utant which is umn 2a, you	s limited either must provide
		RK "X"				. EFFLUENT					NITS	5. IN	TAKE (option	al)
1. POLLUTANT AND CAS NO.	a. BELIEVED	b. BELIEVED	a. MAXIMUM D		b. MAXIMUM 30 (if availa		c. LONG TERM A (if avail		d. NO. OF	a. CONCEN		a. LONG TERM VALU		b. NO. OF
(if available) a. Bromide	PRESENT	ABSENT	CONCENTRATION	(2) MASS C	(1) CONCENTRATION	(2) MASS	CONCENTRATION	(2) MASS	ANALYSE			CONCENTRATION	(2) MASS	ANALYSES
(24959-67-9)														
b. Chlorine, Total Residual														
c. Color														
d. Fecal Coliform														
e. Fluoride (16984-48-8)														
f. Nitrate-Nitrite PASPOrm 3510-20	(8-90)					and the same of th	PAGE V-1				-	00	NTINUE ON	REVERSE

ITEM V-B CONTINUED FROM FRONT

TIEW V-B CON	2. MAI					EFFLUENT				4. UNI	TS	5. INT.	AKE (option	al)
1. POLLUTANT AND	a.	b.	a. MAXIMUM DA	ILY VALUE	b. MAXIMUM 30 (if availa	DAY VALUE ble)	c. LONG TERM A (if availa		00000000000000000000000000000000000000	60,400,400,000,000,000		a. LONG TE AVERAGE V	-RM	
CAS NO. (if available)	BELIEVED PRESENT	BELIEVED ABSENT	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	d. NO. OF ANALYSES	a. CONCEN- TRATION	b. MASS	(1)	(2) MASS	b. NO. OF ANALYSES
g. Nitrogen, Total Organic (as N)						(4)		(2) 111 100				SONSENTIANION	(2) 111100	
h. Oil and Grease														
i. Phosphorus (as P), Total (7723-14-0)														
j. Radioactivity						184								
(1) Alpha, Total														
(2) Beta, Total														
(3) Radium, Total														
(4) Radium 226, Total														
k. Sulfate (as SO ₄) (14808- 79-8)														
I. Sulfide (as S)														
m. Sulfite (as SO ₃) (14265- 45-3)														
n. Surfactants														
o. Aluminum, Total (7429-90-5)														
p. Barium, Total (7440-39-3)														i i
q. Boron, Total (7440-42-8)														
r. Cobalt, Total (7440-48-4)														
s. Iron, Total (7439-89-6)														
t. Magnesium, Total (7439-95-4)														
u. Molybdenum, Total (7439-98-7)						1100								
v. Manganese, Total (7439-96-5)														
w. Tin, Total (7440-31-5)														
x. Titanium, Total (7440-32-6)														

EPA I.D. NUMBER (copy from Item 1 of Form 1) OUTFALL NUMBER

DC0000094

CONTINUED FROM PAGE 3 OF FORM 2-C

PART C - If you are a primary industry and this outfall contains process wastewater, refer to Table 2c-2 in the instructions to determine which of the GC/MS fractions you must test for. Mark "X" in column 2-a for all such GC/MS fractions that apply to your industry and for ALL toxic metals, cyanides, and total phenols. If you are not required to mark column 2-a (secondary industries, nonprocess wastewater outfalls, and nonrequired GC/MS fractions), mark "X" in column 2-b for each pollutant you know or have reason to believe is present. Mark "X" in column 2-c for each pollutant you believe is absent. If you mark column 2a for any pollutant, you must provide the results of at least one analysis for that pollutant if you know or have reason to believe it will be discharged in concentrations of 10 ppb or greater. If you mark column 2b for acrolein, acrylonitrile, 2,4 dinitrophenol, or 2-methyl-4, 6 dinitrophenol, you must provide the results of at least one analysis for each of these pollutants which you know or have reason to believe that you discharge in concentrations of 100 ppb or greater. Otherwise, for pollutants for which you mark column 2b, you must either submit at least one analysis or briefly describe the reasons the pollutant is expected to be discharged. Note that there are 7 pages to this part; please review each carefully. Complete one table (all 7 pages) for each outfall. See instructions for additional details and requirements.

addition	al details an	2. MARK "X				2.5	FFLUENT				4 118	ITO		WE (_
1. POLLUTANT		I WARK A									4. UN	118		KE (optiona	<i>(</i>)
AND CAS NUMBER	a. TESTING	b.	C.	a. MAXIMUM DA	LY VALUE	b. MAXIMUM 30 I (if availai		c. LONG TERM VALUE (if ava		4 NO OF	- 001051		a. LONG T AVERAGE V	ALUE	
(if available)	REQUIRED	PRESENT	BELIEVED ABSENT	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	ANALYSES	a. CONCEN- TRATION	b. MASS	(1) CONCENTRATION	(2) MASS	b. NO. OF ANALYSES
METALS, CYANID	E, AND TOT	AL PHENO	LS												
1M. Antimony, Total (7440-36-0)															
2M. Arsenic, Total (7440-38-2)															
3M. Beryllium, Total (7440-41-7)															
4M. Cadmium, Total (7440-43-9)															
5M. Chromium, Total (7440-47-3)															
6M. Copper, Total (7440-50-8)															
7M. Lead, Total (7439-92-1)															
8M. Mercury, Total (7439-97-6)															
9M. Nickel, Total (7440-02-0)															
10M. Selenium, Total (7782-49-2)															
11M. Silver, Total (7440-22-4)															
12M. Thallium, Total (7440-28-0)															
13M. Zinc, Total (7440-66-6)															
14M. Cyanide, Total (57-12-5)															
15M. Phenols, Total															
DIOXIN									OSCIONAL DE						
2,3,7,8-Tetra- chlorodibenzo-P- Dioxin (1764-01-6)				DESCRIBE RESU	LTS										

CONTINUED FROM THE FRONT

CONTINUED FRO		. MARK "X					FFLUENT				4. UN	ITS	5. INTA	AKE (optiona	ıl)
1. POLLUTANT AND	a. TESTING REQUIRED	b.	C.	a. MAXIMUM DAI	LY VALUE	b. MAXIMUM 30 I (if availai		c. LONG TERM VALUE (if ava	AVRG. ulable)				a. LONG T AVERAGE V		
CAS NUMBER (if available)	REQUIRED	PRESENT	ABSENT	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	d. NO. OF ANALYSES	a. CONCEN- TRATION	b. MASS	(1) CONCENTRATION	(2) MASS	b. NO. OF ANALYSES
GC/MS FRACTION	- VOLATIL	Е СОМРО	JNDS		11		(-,		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				0011021110111011	(2) 113 100	
1V. Accrolein (107-02-8)															
2V. Acrylonitrile (107-13-1)															
3V. Benzene (71-43-2)															
4V. Bis (Chloro- methyl) Ether (542-88-1)															
5V. Bromoform (75-25-2)															
6V. Carbon Tetrachloride (56-23-5)															
7V. Chlorobenzene (108-90-7)															
8V. Chlorodi- bromomethane (124-48-1)															
9V. Chloroethane (75-00-3)															
10V. 2-Chloro- ethylvinyl Ether (110-75-8)															
11V. Chloroform (67-66-3)															
12V. Dichloro- bromomethane (75-27-4)															
13V. Dichloro- difluoromethane (75-71-8)															
14V. 1,1-Dichloro- ethane (75-34-3)															
15V. 1,2-Dichloro- ethane (107-06-2)															
16V. 1,1-Dichloro- ethylene (75-35-4)															
17V. 1,2-Dichloro- propane (78-87-5)															
18V. 1,3-Dichloro- propylene (542-75-6)															
19V. Ethylbenzene (100-41-4)															
20V. Methyl Bromide (74-83-9)															
21V. Methyl Chloride (74-87-3)															

CONTINUED FROM PAGE V-4

	2	. MARK "X"	(FFLUENT				4. UN	ITS	5. INTAKE (optional		d)
1. POLLUTANT AND	a. TESTING REQUIRED	b.	C.	a. MAXIMUM DA	ILY VALUE	b. MAXIMUM 30 (if availa	DAY VALUE	c. LONG TERM VALUE (if ava					a. LONG T AVERAGE V		A 96 XXXII XXII
CAS NUMBER (if available)	REQUIRED	PRESENT	BELIEVED ABSENT	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	d. NO. OF ANALYSES	a. CONCEN- TRATION	b. MASS	(1) CONCENTRATION	(2) MASS	b. NO. OF ANALYSE
GC/MS FRACTION	- VOLATIL	E COMPO	JNDS (cont											(-)	
22V. Methylene Chloride (75-09-2)															
23V. 1,1,2,2- Tetrachloroethane (79-34-5)															
24V. Tetrachloro- ethylene (127-18-4)															
25V. Toluene (108-88-3)															
26V. 1,2-Trans- Dichloroethylene (156-60-5)															
27V. 1,1,1-Trichloro- ethane (71-55-6)															
28V. 1,1,2-Trichloro- ethane (79-00-5)															
29V Trichloro- ethylene (79-01-6)															
30V. Trichloro- fluoromethane (75-69-4)															
31V, Vinyl Chloride (75-01-4)															
GC/MS FRACTION	- ACID CO	MPOUNDS													
1A. 2-Chlorophenol (95-57-8)															
2A. 2,4-Dichloro- phenol (120-83-2)															
3A. 2,4-Dimethyl- phenol (105-67-9)															
4A. 4,6-Dinitro-O- Cresol (534-52-1)				3											
5A. 2,4-Dinitro- phenol (51-28-5)															
6A. 2-Nitrophenol (88-75-5)															
7A. 4-Nitrophenol (100-02-7)												0.000			
8A. P-Chloro-M- Cresol (59-50-7)		J=1471 ====													
9A. Pentachloro- phenol (87-86-5)															
10A. Phenol (108-95-2)															
11A. 2,4,6-Trichloro- phenol (88-05-2)															

CONTINUED FROM THE FRONT

CONTINUED FRO		. MARK "X					FFLUENT				4. UN	ITS	5. INTA	1)	
1. POLLUTANT AND	a. TESTING REQUIRED	b.	c. BELIEVED	a. MAXIMUM DAI	LY VALUE	b. MAXIMUM 30 [(if availal	DAY VALUE	c. LONG TERM VALUE (if ava	l AVRG. ulable)				a. LONG T AVERAGE V	ERM	
CAS NUMBER (if available)	REQUIRED	BELIEVED PRESENT	BELIEVED ABSENT	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	d. NO. OF ANALYSES	a. CONCEN- TRATION	b. MASS	(1) CONCENTRATION	(2) MASS	b. NO. OF ANALYSES
GC/MS FRACTION	- BASE/NE	UTRAL CO	MPOUND	S											Alexander
1B. Acenaphthene (83-32-9)					30. 10.0.										
2B. Acenaphtylene (208-96-8)															
3B. Anthracene (120-12-7)															
4B. Benzidine (92-87-5)															
5B. Benzo (a) Anthracene (56-55-3)															
6B. Benzo (a) Pyrene (50-32-8)															
7B. 3,4-Benzo- fluoranthene (205-99-2)															
8B. Benzo (<i>ghi</i>) Perylene (191-24-2)															
9B. Benzo (k) Fluoranthene (207-08-9)															
10B. Bis (2-Chloro- ethoxy) Methane (111-91-1)															
11B. Bis (2-Chloro- ethyl) Ether (111-44-4)															
12B. Bis (2- Chloroisopropyl) Ether (102-80-1)															
13B. Bis (2-Ethyl- hexyl) Phthalate (117-81-7)															
14B. 4-Bromophenyl Phenyl Ether (101-55-3)															
15B. Butyl Benzyl Phthalate (85-68-7)															
16B. 2-Chloro- naphthalene (91-58-7)															
17B. 4-Chloro- phenyl Phenyl Ether (7005-72-3)															
18B. Chrysene (218-01-9)															
19B. Dibenzo (a,h) Anthracene (53-70-3)															
20B. 1,2-Dichloro- benzene (95-50-1)															
21B. 1,3-Di-chloro- benzene (541-73-1)															

CONTINUED FROM PAGE V-6

	2. MARK "X"					FFLUENT				4. UN	ITS	5. INTAKE (optional		ul)	
1. POLLUTANT AND	a. TESTING	b	c.	a. MAXIMUM DA	ILY VALUE	b, MAXIMUM 30 l	DAY VALUE	c. LONG TERN VALUE (if ava	MAVRG.				a. LONG T AVERAGE V	ERM ALUE	
CAS NUMBER (if available)	a. TESTING REQUIRED	BELIEVED PRESENT	BELIEVED ABSENT	(1) CONCENTRATION		(1) CONCENTRATION		(1) CONCENTRATION	(2) MASS	d. NO. OF ANALYSES	a. CONCEN- TRATION	b. MASS	(1)		b. NO. OF ANALYSES
GC/MS FRACTION	- BASE/NE	UTRAL CO	OMPOUND	S (continued)					(-)					(2) 113 100	
22B. 1,4-Dichloro- benzene (106-46-7)															
23B. 3,3-Dichloro- benzidine (91-94-1)															
24B. Diethyl Phthalate (84-66-2)															
25B, Dimethyl Phthalate (131 -11-3)															
26B. Di-N-Butyl Phthalate (84-74-2)															
27B. 2,4-Dinitro- toluene (121-14-2)															
28B, 2,6-Dinitro- toluene (606-20-2)															
29B. Di-N-Octyl Phthalate (117-84-0)															
30B. 1,2-Diphenyl- hydrazine (as Azo- benzene) (122-66-7)															
31B. Fluoranthene (206-44-0)															
32B, Fluorene (86-73-7)															
33B. Hexachloro- benzene (118-74-1)															
34B. Hexachloro- butadiene (87-68-3)															
35B. Hexachloro- cyclopentadiene (77-47-4)															
36B Hexachloro- ethane (67-72-1)															
37B. Indeno (1,2,3-cd) Pyrene (193-39-5)															
38B. Isophorone (78-59-1)															
39B. Naphthalene (91-20-3)															
40B. Nitrobenzene (98-95-3)															
41B. N-Nitro- sodimethylamine (62-75-9)															
42B. N-Nitrosodi- N-Propylamine (621-64-7)															

CONTINUED FROM THE FRONT

	2	. MARK "X"	9			3. E	FFLUENT				4. UN	ITS	5. INTA	KE (optiona	r()
1. POLLUTANT AND	a. TESTING	b.	C.	a. MAXIMUM DA	LY VALUE	b. MAXIMUM 30 I	DAY VALUE	c. LONG TERM VALUE (if ava	MAVRG.				a. LONG T AVERAGE V	ERM	
CAS NUMBER (if available)	a. TESTING REQUIRED			(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION		(1)	(2) MASS	d. NO. OF ANALYSES	a. CONCEN- TRATION	b. MASS	(1) CONCENTRATION		b. NO. OF ANALYSES
GC/MS FRACTION	- BASE/NE	UTRAL CO	MPOUND	S (continued)											
43B. N-Nitro- sodiphenylamine (86-30-6)															
44B. Phenanthrene (85-01-8)															
45B. Pyrene (129-00-0)															
46B. 1,2,4-Tri- chlorobenzene (120-82-1)															
GC/MS FRACTION	- PESTICI	DES													
1P. Aldrin (309-00-2)															
2P. α-BHC (319-84-6)															
3P. β-BHC (319-85-7)															
4P. γ-BHC (58-89-9)				3											
5P. δ-BHC (319-86-8)															
6P. Chlordane (57-74-9)															
7P. 4,4'- DDT (50-29-3)															
8P. 4,4'-DDE (72-55-9)															
9P. 4,4'-DDD (72-54-8)												ľ			
10P. Dieldrin (60-57-1)															
11P. α-Enosulfan (115-29-7)															
12P. β-Endosulfan (115-29-7)															
13P. Endosulfan Sulfate (1031-07-8)															
14P. Endrin (72-20-8)															
15P. Endrin Aldehyde (7421-93-4)											=				
16P. Heptachlor (76-44-8)															

EPA I.D. NUMBER (copy from Item 1 of Form 1)	OUTFALL NUMBER	
DC000094		

CONTINUED FROM PAGE V-8

Separation 10	2	MARK "X				3. E	FFLUENT		HINNE AND LINE		4. UN	ITS	5. INTA	KE (optiona	d)
	a. TESTING		c.	a. MAXIMUM DAI	LY VALUE	b. MAXIMUM 30 I (if availal		c. LONG TERN VALUE (if ava		4 NO OF	- 00110511		a. LONG T AVERAGE V	ERM	
(if available)	REQUIRED	PRESENT	ABSENT	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	d. NO. OF ANALYSES	a. CONCEN- TRATION	b. MASS	(1) CONCENTRATION	(2) MASS	b. NO. OF ANALYSES
GC/MS FRACTION	- PESTICII	DES (contin	ued)										•		
17P. Heptachlor Epoxide (1024-57-3)															
18P. PCB-1242 (53469-21-9)															
19P. PCB-1254 (11097-69-1)															
20P. PCB-1221 (11104-28-2)															
21P. PCB-1232 (11141-16-5)															
22P. PCB-1248 (12672-29-6)															
23P. PCB-1260 (11096-82-5)															
24P. PCB-1016 (12674-11-2)															
25P. Toxaphene (8001-35-2)								_							

EPA Form 3510-2C (8-90)

D. Receiving Water

(name)



EPA ID Number (copy from Item 1 of Form 1)

DC0000094

For each outfall, list the latitude and longitude of its location to the nearest 15 seconds and the name of the receiving water.

2F NPDES

Outfall Location

A. Outfall Number

(list)

(See Attachment 6)

U.S. Environmental Protection Agency Washington, DC 20460

Application for Permit to Discharge Storm Water Discharges Associated with Industrial Activity

Paperwork Reduction Act Notice

Public reporting burden for this application is estimated to average 28.6 hours per application, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate, any other aspect of this collection of information, or suggestions for improving this form, including suggestions which may increase or reduce this burden to: Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 1200 Pennsylvania Avenue, NW, Washington, DC 20460, or Director, Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

C. Longitude

			Section and the second				
					1		
					<u> </u>		
. Improvements							V.ESS MAN
treatment equipment or practices	or any other env	rironmental program:	s which may at	ffect the disc	chedule for the construction, upgradin harges described in this application? T ers, stipulations, court orders, and gran	his includes, but i t or loan condition	s not limited
Identification of Conditions, Agreements, Etc.		2. Affected Outfalls			Brief Description of Project	Complia	nce Date
	number	source of disch	narge		3. Bilei Description of Project	a. req.	b. proj.
NA							
	+						
	1						
							70 <u></u>
				TERMS CHIEF E			
	1					-	
B: You may attach additional sheets	describing any a	dditional water pollut	ion (or other e	nvironmental	projects which may affect your dischar	nes) you now have	e under

III. Site Drainage Map

Attach a site map showing topography (or indicating the outline of drainage areas served by the outfalls(s) covered in the application if a topographic map is unavailable) depicting the facility including: each of its intake and discharge structures; the drainage area of each storm water outfall; paved areas and buildings within the drainage area of each storm water outfall, each known past or present areas used for outdoor storage of disposal of significant materials, each existing structural control measure Etacherghering by the materials loading and access prays where pesticides, herbicides, soil conditioners and fertilizers excharging pack of its hazardous waste treatment, storage or disposal units (including each area not required to have a RCRA permit which is used for accumulating hazardous waste under 40 CFR 262.34); each well where fluids from the facility are injected underground; springs, and other surface water bodies which received storm water discharges from the facility. (See Attachment 7- Drainage Area Map)

Continued from the Front

IV. Narrati	ve Description of Pollutan	t Sources			
A. For each			es (including pave	d areas and building roofs) drained to the outfall, and an	estimate of the total surface area
Outfall Number	Area of Impervious Surface (provide units)	Total Area Drained (provide units)	Outfall Number	Area of Impervious Surface (provide units)	Total Area Drained (provide units)
	(See Attachment 8)			ree years have been treated, stored or disposed i	
to storm storm wa applied.	water; method of treatment, storag ater runoff; materials loading and a	e, or disposal; past and pre	sent materials	management practices employed to minimize or frequency in which pesticides, herbicides, soil or	entact by these materials with
	(See Attachment 9)				
descrip		r receives, including the sch		structural control measures to reduce pollutants of maintenance for control and treatment measures.	
Outfall Number		Т	reatment		List Codes from Table 2F-1
	(See Attachment 10)				
V. Nonsto	rmwater Discharges				
				ested or evaluated for the presence of nonstormw g Form 2C or From 2E application for the outfall.	rater discharges, and that all
2000	fficial Title (type or print)	Signature		Da	te Signed
	P Nelson, VP, ons and Engineering	Henge P.	Tel	an 1	2/17/2013
B. Provide	a description of the method used, the	. V .	e onsite draina	ge points that were directly observed during a test	
discharge for the re Revised f	es is Outfall 013. All sto newal of the Benning N flow data for this outfall	orm and non-storm PDES Permit (see /	water dise Attachmer	e only outfall that receives non- charges to this outfall were iden at 5 for operations contributing f ce the power plant demolition is	tified in April 2005 ow to Outfall 013).
Provide ex	cant Leaks or Spills disting information regarding the hite date and location of the spill or le			or hazardous pollutants at the facility in the las	t three years, including the
	(See Attachment 11)				

DC0000094

VII. Discharge Information	DC000094		
	ceeding. Complete one set of tables for each outfa e included on separate sheets numbers VII-1 and \ mpletion of testing. See cover le		
E. Potential discharges not covered by a currently use or manufacture as an inte Yes (list all such pollutants b		-2, 2F-3, or 2F-4, a substance or a c	component of a substance which you
8			
VIII. Biological Toxicity Testing D Do you have any knowledge or reason to be relation to your discharge within the last 3 y X Yes (list all such pollutants be	pelieve that any biological test for acute or chronic years?	toxicity has been made on any of your	r discharges or on a receiving water in
upstream Anacostia River wa were water flea (Daphnia pul performed in accordance wit	y (WET) Test - Effluent samples f ater sample were collected for W ex) and fathead minnow (Pimeph th the methods described in EPA s were acutely toxic to the two tes MRs for September 2013.	ET testing in September 2 ales promelas). The 48 h document 821-R-02-012.	2013. The species tested tour screening tests were The analytical results did
IX. Contract Analysis Information			
Were any of the analyses reported in Item	VII performed by a contract laboratory or consulting	g firm?	
Yes (list the name, address, a analyzed by, each such l	and telephone number of, and pollutants aboratory or firm below)	X No (go to Section X)	
A. Name	B. Address	C. Area Code & Phone No.	D. Pollutants Analyzed
(See cover letter for further d	etails)		
that qualified personnel properly gather and directly responsible for gathering the infor	ument and all attachments were prepared under i d evaluate the information submitted. Based on m mation, the information submitted is, to the best y false information, including the possibility of fine a	y inquiry of the person or persons who of my knowledge and belief, true, acc	o manage the system or those persons curate, and complete. I am aware that
A. Name & Official Title (<i>Type Or Print</i>) George P Nelson, VP, Operat	ions and Engineering	B. Area Code and Phone No. (202) 872-23	01
C. Signature Jung P. 7	Page 3 of 3	D. Date Signed 12 11 20	13

Form Approved. OMB No. 2040-0086 Approval expires 5-31-92

VII. Discharge information (Continued from page 3 of Form 2F) Tables VII.A, VII.B, VII.C, and VII.D will be provided upon completion of testing.

Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

Pollutant and CAS Number (if available)		mum Values lude units)		erage Values aclude units)	Number		
	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants	
Oil and Grease		N/A					
Biological Oxygen Demand (BOD5)							
Chemical Oxygen Demand (COD)							
Total Suspended Solids (TSS)							
Total Nitrogen							
Total Phosphorus		1					
рН	Minimum	Maximum	Minimum	Maximum			

Part B – List each pollutant that is limited in an effluent guideline which the facility is subject to or any pollutant listed in the facility's NPDES permit for its process wastewater (if the facility is operating under an existing NPDES permit). Complete one table for each outfall. See the instructions for additional details and requirements.

1	Maximu	ım Values	Avera	age Values lude units)		
Pollutant and	Grab Sample Taken During First 20	de units)	Grab Sample Taken During First 20	ude units)	Number of Storm Events	
CAS Number (if available)	First 20 Minutes	Flow-Weighted Composite	First 20 Minutes	Flow-Weighted Composite	Sampled	Sources of Pollutants
			 			
		V41 2.44 2.45 2.45 2.45 2.45 2.45 2.45 2.45 2.45 2.45 2.45 2.45 2.45 2.45 2.45				
			-			
			 			
			-			
				Managara Angara ang ang ang ang ang ang ang ang ang an		

Continued from the Front

req	uirements. Complete	e one table for each ou	tfall.			p.000		tions for additional details and
		um Values ide units)	Ave (ir.	erage Values nclude units)	Numb	per		
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Sto Even Samp	orm nts	So	urces of Pollutants
					-) 	
		ATTOC VALUE OF THE						
								OURSELLED BUILDING TO COMMUNICATE
							·	
						-		
						_		
ASS MASS MAS	00-00 50 D D D D DD DD D	ALCON COUNTY	CONTROL SOLICE SEL	\$0 00 00M Hall 960	and the same		10	
Part D - Pro	ovide data for the sto	orm event(s) which resu	Ited in the maximu	um values for the flow weig 4.	ghted comp	osite sa	imple. 5.	
1. Date of Storm Event	2. Duration of Storm Event (in minutes)	3. Total rainfall storm eve inches	nt (in	Number of hours betwee beginning of storm meas and end of previous measurable rain ever	sured rain	n event	flow rate during (gallons/minute ecify units)	6. Total flow from rain event (gallons or specify units)
	Ξ							
7. Provide a	description of the me	ethod of flow measurem	ent or estimate.					
	20							

EPA ID Number - DC0000094


Attachment 1 - Response to Question X. of Form 1

C. RCRA Permit

Benning Service Center - DC000819516

E. Other Environmental Permits

Air Permit# 026-R1 Oil Operations Permit - 2009-OPV-3141A Temporary Discharge Authorization Permit - 0312-882 Waste Hauler Permit - WH41



EPA I.D. NUMBER - DC0000094

Attachment 3 - Response to Question 1of Form 2C

Α.	В	LATITUD	E	C. L	ONGITU	DE	
OUTFALL NUMBER (list)	1. DEG	2. MIN	3. SEC	1. DEG	2. MIN	3. SEC	D. RECEIVING WATER (name)
005	38	53	54	76	57	5	Washington, DC Storm Sewer System
006	38	53	45	76	57	26	Washington, DC Storm Sewer System
013	38	53	60	76	57	30	Anacostia River
014	38	54	1	76	57	15	Washington, DC Storm Sewer System
015	38	53	60	76	57	13	Washington, DC Storm Sewer System
101	38	53	46	76	57	36	Anacostia River
401	38	53	56	76	57	8	Washington, DC Storm Sewer System

EPA ID # DC0000094

Attachment 4 - Response to Question II.A of Form 2C

EPA ID # DC0000094

Attachment 5 - Response to Question II.B of Form 2C

1. Outfall			3. Treatn	nent Units
Number	a. Operation (1)	b. Average Flow(mgd) ⁽²⁾	a. Description	b. List Codes
005	Runoff from parking area (area 25)	0.07	Discharge to surface water	4-A
006	Runoff from parking areas and Benning Road entrance road (area 9)	0.28	Discharge to surface water	4-A
014	Runoff from northeast side of property including roadways and storage areas (area 23)	0.28	Discharge to surface water	4-A
015	Runoff from Substation 7 and roadways all collect in water quality structure prior to discharge(area 27)	0.43	Settling in WQS Discharge to surface water	1-U 4-A
013	Stormwater and process water flow (see a thru s below) is discharged to Anacostia River via the 54 inch storm drain pipe:	5.86	Discharge to surface water	4-A
	a. Internal discharge point 420 - runoff from yard drains and roadways (area 11) plus flow from three discharges points 201, 204 and 703:	2.107		
	Internal MP 201- effluent from Plant's oil/water separator which consist of stormwater runoff from areas 3 and 6 and yard drains		Settling in oil/water separator	I-U
	Internal discharge point 204 - stormwater overflow from lift station when influent exceeds 500 gpm Internal discharge point 703 - runoff from area 7 to water quality structure		Settling in water quality structure	I-U
	b. Internal discharge point 206 - runoff from gravel area (area 8) (see Note 1)			

		,	
c. Internal discharge point 402- runoff from parking areas, building 57, south sides of buildings 54 and 56 (area 17).	0.435		
d. Internal discharge point 403 - runoff from roadway (area 22) to water quality structure	0.253	Settling in water quality structure	1-U
e. Internal discharge point 404 - runoff from parking areas and roadway on the southeast corner of property (areas 18 and 21)	0.297		
f. Internal discharge point 405 - runoff from parking areas on the north sides of Buildings 54 and 56 (area 24)	0.313		
g. Internal discharge point 406- effluent from T&D oil water separator (MP 003), runoff from parking areas, Building 59, south side of Building 75 and internal roadways (area 14)	0.737	Carbon filtration prior to discharge to MP 003	2-A
h. Internal discharge point 407 - runoff from parking areas and roadway east of storage building 42 (area 28)	0.183		
i. Internal discharge point 408- runoff from storage yard, Buildings 60, 41 and 61, north side of Building 42, southeast side of Building 88, and northeast side of Building 75 and internal roadways (area 15)	0.341		
j. Internal discharge point 409 - runoff from loading area on the north side of Building 88 (area 16)	0.292		
k. Internal discharge point 413 - runoff from yard areas, internal roadways and east side of Fire Pump House (area 29)	0.053		
I. Internal discharge point 414 - runoff from Substation 41 and transformer spill containment pits (area 13)	0.005		
m. Internal discharge point 415- runoff from yard area (area 30)	0.083		
n. Internal discharge point 416 - runoff from parking	0.273		

	areas, material stockyard, Building 44 and internal roads (area 12)			
	o. Internal discharge point 417 - runoff from salvage yard and internal roadways (areas 10 and 33)	0.028		
	p. Internal discharge point418 - runoff from parking area(area 19)	0.112		
	q. Internal discharge point 419 - runoff from internal roads west of building 88 (area 31)	0.066		
	r. Internal discharge point 425 - Runoff from internal road between north side of Building 75 and south side of Building 88 (area 32)	0.108		
	s. Internal discharge 010 - No discharge from the Drying Pit since the drain pipe is capped and locked.	None		
101	Runoff from southwest corner of the property including interior roadways, landscaping and generating station roof drains (area 2).	0.53	Discharge to surface water	4-A
401	Runoff from Substation 7 transformer and reactor spill containment pit; Substation 7 fire protection room, floor drain and city water valve leakage; cable vault floor drains and transformer containment area (area 26)	0.14	Discharge to Surface Water	4-A

Notes:

- (1) Discharge points 202 and 203 (cooling towers blow down) and discharge point 207 (cooling tower unit 15 overflow), and cooling tower unit 16 overflow to discharge point 206 were eliminated when the power plant was shut down in June 2012.
- (2) Data previously submitted to EPA on May 16, 2005 for the renewal of the Benning NPDES Permit. Revised flow data for each outfall will be submitted to EPA once the power plant demolition is completed.

EPA ID # DC0000094

Attachment 5A - Response to Question II.C of Form 2C

Water removed from utility manholes within the District of Columbia is transported to the Benning facility and is discharged into an OWS just ahead of MP 003, as described in Attachment 5 (Outfall 013, item g.) and Attachment 10 (item 4). This OWS operates in a batch mode approximately once or twice per month, 12 months per year. Each discharge lasts for approximately 2 hours with a total flow of approximately 5000 gallons.

EPA I.D. NUMBER - DC0000094

Attachment 6 - Response to Question 1of Form 2F

A.	В.	LATITUD	E	C. L	ONGITU	DE	7 THE COUNTY OF THE PARTY OF TH
OUTFALL NUMBER (list)	1. DEG	2. MIN	3. SEC	1. DEG	2. MIN	3. SEC	D. RECEIVING WATER (name)
005	38	53	54	76	57	5	Washington, DC Storm Sewer System
006	38	53	45	76	57	26	Washington, DC Storm Sewer System
013	38	53	60	76	57	30	Anacostia River
014	38	54	1	76	57	15	Washington, DC Storm Sewer System
015	38	53	60	76	57	13	Washington, DC Storm Sewer System
101	38	53	46	76	57	36	Anacostia River
401	38	53	56	76	57	8	Washington, DC Storm Sewer System

EPA ID # DC0000094

Attachment 7 - Response to Question III of Form 2F

EPA I.D. NUMBER - DC0000094

Attachment 8 - Response to Question IV. A of Form 2F

Outfall Number	Area of Impervious Surface (provide units)	Total Area Drained (provide units)
005	0.39 Acres	0.59 Acres
006	2.26 Acres	2.27 Acres
013	39.94 Acres	50.27 Acres
014	1.88 Acres	2.42 Acres
015	1.52 Acres	4.34 Acres
016	1.54 Acres	2.27 Acres
101	3.92 Acres	4.38 Acres
401	1.05 Acres	1.12 Acres

Note - The data presented above were previously submitted to EPA on May 16, 2005 for the renewal of the Benning NPDES Permit. Due to the generating station demolition, the impervious surface areas for outfalls 013 and 101 (Manhole K) will change. Once the demolition is completed, the areas of impervious surfaces and the total surface area drained to these outfalls will be recalculated, the existing data for all other outfalls identified above will be verified, and a revised data will be submitted to supplement this permit renewal application.

EPA ID Number - DC0000094

Attachment 9 - Response to Question IV-B of Form 2F

Oil Storage Area

- Used Oil The used oil is stored in a 500 gallon used oil tank located outside Building 75. The tank has built-in secondary containment.
- Mineral Transformer Oil The transformer oil is stored in four (4) aboveground tanks. The tanks are located under a canopy structure. The concrete diked area can hold 140% of the volume of one tank.

Chemical Storage Area

 There are no chemical storage areas in the facility. Chemicals (Ammonia and Sulfuric Acid) stored on the power plant area were removed and disposed off-site before the demolition work commenced.

PCB and Hazardous Waste Storage Area

PCB Building - This building is used for temporary storage of PCB materials and hazardous waste prior to disposal off-site. The floor is concrete and has an epoxy coating that is impervious to any oil or chemical spills. There is a containment curbing around the interior perimeter. There are no floor drains within the building that connect to the facility's storm drain system. An internal drain pipe is connected to a 2,000 gallon fiberglass underground tank equipped with manhole access for pumping and off-site disposal.

Oil Filled Electrical Equipment Storage Area

- Outside of Building 56 New and off-line electrical equipment is temporarily stored outside pending removal to the Transformer Test Shop. Oil absorbent booms are in place around this equipment. Off-line transformers with unknown PCB content are temporarily stored in a concrete berm area which is covered by a canopy.
- Outside storage areas Stores Department areas in the vicinity of Buildings 44, 88, 40, 60, 41, 61, 42, 66 and the Stores salvage yard are used for storage of new and off-line transformers, capacitors and various electrical equipment. This equipment contains non- PCB oil.

Pesticide/Herbicide Use (1)

Pesticides

<u>Trade Name</u>	Chemical Name	Application	Location	
Maxforce	Hydramethylnon	Kill Roaches	All Buildings Interior	
Contrac	Bromadiolone	Kill Rats and Mice	Building Nos. 65 and 75	
<u>Herbicides</u>				
Roundup ⁽²⁾	Glyphosate	Kill Weeds & Poison Ivy	Around Buildings, Parking lots, Substations & Switchyards	
Diuron 80	Dimethylurea	Kill Weeds & Poison Ivy	Substations & Switchyards	
Riverdale Spyder		Kill Weeds & Poison Ivy	Substations & Switchyards	
Riverdale Razor		Kill Weeds & Poison Ivy	Substations & Switchyards	
SURF AC 820	Non-ionic Surfactant	Kill Weeds & Poison Ivy	Substations & Switchyards	
Weedestroy AM-40	Dimethylamine Salt	Kill Weeds & Poison Ivy	Substations & Switchyards	
Supersate	Glyphosate	Kill Weeds &	Around Buildings &	
		Poison Ivy	Parking lots	

^{(1) -} Pepco uses the services of outside contractors for pesticides and herbicides applications at Benning.

^{(2) -} Substation has only a 55 gallon drum of Roundup inside the Gardner's Shop in Building 54.

EPA ID NUMBER - DC0000094

Attachment 10 - Response to Question IV-C of Form 2F

STRUCTURAL CONTROLS (for Outfall 013)

- 1. Secondary Containment Oil filled electrical equipment is provided with secondary containment (concrete dikes or berms) or surrounded by oil absorbent booms in order to prevent the discharge of any leak, spill, or overfill into the storm drains.
- 2. Water Quality Structures Three water quality structures are located on the Facility and identified as WQ on the Benning Drainage Area Map. The locations of these structures are as follows.

Location of Water Quality Structures	Discharge Point
Adjacent to Substation 7 and Foote Street	015
On the parking lot, South of Substation 7	403
Adjacent to Monitoring Point (MP) 201	MP 201

The water quality structures are designed to remove debris and sediment from the process and storm water by gravity separation. The structures are inspected and cleaned of sediment build-up twice a year. (The WQ structure located at MP 201 is currently inaccessible due to the power plant demolition).

- 3. Underground Sedimentation Filtration Vault This vault (also identified as WQ on the Benning Drainage Area Map) was installed in the employee parking lot (south of Storage Building 42) in March 2011 as part of the upgrades to the stormwater drainage system at the Gas Insulating Switchyard (GIS), which is located inside Substation 7. There are 18 cartridges inside the vault to filter and remove suspended solids and sediment from storm water originating from the GIS. The filtered water flows to the 54 inch storm drain pipe.
- 4. Oil/Water Separators Two oil/water separators (OWS) are located at the Benning Service Center. One OWS is located ahead of MP 003 and is used to remove oil and grease and solids from water which is pumped from Pepco's utility manholes within the District of Columbia and transported to

the facility. The effluent from the OWS passes through carbon filters prior to MP 003 and eventually discharges through outfall 013. The second OWS is located ahead of MP 201 and is currently used to treat yard drainage and sump infiltration (in the power plant basement) which discharge to the lift station prior to being pumped to the oil/water separator. (Note - the sump infiltration will be eliminated once the power plant building is demolished).

NONSTRUCTURAL CONTROLS (for Outfalls 013 and 101)

- 1. Low Impact Development (LID) Projects Three LID projects were constructed at the Benning Service Center, identified as 4a, 4b and LID project 3 on the Drainage Area Map. The purpose of these projects is to capture storm water runoff along the heavily trafficked main access road and the employee parking lot. These locations were identified to have the highest potential for capturing polluted runoff from vehicle traffic. The first LID, built in December 2002, is an infiltration swale and drains a parking lot area of approximately 0.3 acre. The second LID, built in October 2004, is a rain garden and drains a yard area of approximately 0.09 acre. The third LID built in 2007, is a linear bioretention system upgradient of the rain garden in the same drainage area. The Benning Stormwater Pollution Prevention Plan provides a maintenance schedule for the LID.
- **2.** TMDL Implementation Plan As part of the TMDL implementation Plan developed in accordance with the facility's NPDES permit requirements and approved by EPA in July 2010, additional control measures to reduce stormwater contamination have been implemented as follows:
- a. Phase I Storm Drain Inlet Maintenance:
 - Metal absorbing inlet guards have been installed at all storm drain inlets throughout the facility, except for six inlets where the configuration or design of them did not permit the placement of inlet guards.
 - Heavy duty inlet guards have been placed at areas where there are heavy traffics.
 - Oil absorbing booms are in place around the majority of inlets, except in heavy traffic areas where it would be impractical to install them.
- b. Phase II Metal Management:
 - Stored metal in areas exposed to the weather has been either removed from the site or covered up for protection from rainfall.

Monthly inspections and maintenance of storm drain inlets and metal management practices are being conducted throughout the site as part of the facility's SWP3 to minimize potential sources of metals in stormwater discharges from the facility. Additional inspections are also conducted after heavy storms to ensure that the control measures applied at the storm inlets remain intact.

Additional measures to protect the storm drain inlets during the generating station demolition have been implemented. This includes covering all the inlets affected by the demolition activities with mesh filters fabric and securing the fabrics with clean rocks. These measures were implemented in addition to the existing metal absorbing guards and sediment removing socks in place.

EPA ID NUMBER - DC0000094

Attachment 11 – Response to Question VI of Form 2F

Location	Date (m/d/y)	Spill	Leak	Type of Material	Quantity	Source, If known	Reason	Amount of Material Recovered	Material No Longer Exposed to Storm Water (T/F)	Preventive Measures Taken
Transformer Storage Yard	6/28/2013	x		Mineral Oil	50 gallons	Damaged transformer	Transformer struck by a forklift	All	Т	Employee briefing
Generating Station	6/11/2013	x		No. 4 Fuel Oil	25 gallons	Abandoned Oil Tank	Contractor failed to plug abandoned fuel oil line before storm event.	Estimated 20 gallons	Т	Contractor Training
Transformer Storage Yard	3/15/2013	x		Mineral Oil	5 gallons	Transformer	Unit being transported was struck by a vehicle	All	Т	Employee briefing
Fuel Island	9/12/2012	х		Gasoline	1 gallon	Fuel Pump	Employee error - Overfilled portable tank	All	Т	Employee briefing
Benning Roadway	8/9/2011	x		Diesel Fuel	10 gallons	Contractor truck	Leaking fuel line	All	Т	Equipment repaired
Substation 7	4/5/2010	x		Mineral Oil	50 gallons	Transformer	Bushing failure	All	Т	Equipment repaired
Substation 14	1/14/2010	X		Mineral Oil	10 gallons	Transformer B- 0650	Bushing failure	All	Т	Equipment repaired

Permit Operations Division
1100 4th Street SW
Washington DC 20024
Tel. (202) 442 - 4589 Fax (202) 442 - 4862



R

RAZE PERMIT

THIS PERMIT MUST ALWAYS BE CONSPICUOUSLY DISPLAYED AT THE ADDRESS OF WORK UNTIL WORK IS COMPLETED AND APPROVED

PERMIT NO.	R130007	73								Da	te: 05/21/20	13	
Address of Project:						T	Zone:	. T	Ward:	Square:	Suffix:	Lot:	
3400 BENNING RD	łE								7	PAR		0114	
Description of Work: PEPCO ENERGY SERVICE- PUMP HOUSES AND TWO CLARIFER								Bldg Vacant: No. of Bldg(s) Raze entity Yes 7 Yes					
Permission is Hereby Granted To Potomac Electric Power Company Owner Address: 701 9TH ST NW WASHINGTON, DC 20001-4501 Length: Wid 304 FT 184						1	ght: 6 FT		of 6 Bldg.: PERMIT FEE: 3488676 CU.FT \$3,426.46				
Building Material: Other	Party Wall: No	Existing Use: Other (Specify)	TT : 1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (Insur	Insurance Policy No.: Existing U				
Raze Contractor:			Address:				Tel No.: Lic No.:						
CONDITIONS: As a and to perform the and in accordance the property and ensure compilance must start within the control of the property and ensure compilance must start within the control of the property of	condition precise work authorized to inspect all with the permit one(1) year of 1978 Residential Presidential	odent to the faced hereby in the laws and re- work authorized and with all the data appear operties or in Child- rb more than 2 se, as amended* (ovation, Repair and	suance of this permit, accordence with the guistions of the District by this permit end the applicable regulating on this permit or Occupied Facilities quare feet of paint, the for more info, see www.Painting Rule* (for more info.	, the ow approved ct of Col to requir ions of the per permit hole	application umbia. The e any cl the Distri- mit is au der must a ov, Lead a	n ar e D hange ct o stome bide and	nd pland istrict of a in co of Colum atically by all a Healthy	s on f Colum onstruct obia. V vold. If opplicable Housing	file with the state of the stat	th the D s the rig lich may uthorized is starte ements in n), and n	pletrict Gov pht to enter be necess under the d, any app the District	ernment or upon sary to Permit plication	
Director: Nicholas A. Majett TO REPORT WASTE.			Donya Jackson ERNMENT OFFICIAL, CAL		NSPECTOR	R GE				9			

FOR CONSTRUCTION INSPECTION INQUIRIES CALL (202) 442-4480; TO SCHEDULE INSPECTIONS PLEASE CALL (202) 442 9557

Permit Operations Division 1100 4th Street SW Washington DC 20024 Tel. (202) 442 - 4889 Fax (202) 442 - 4862





TO SCHEDULE INSPECTIONS PLEASE CALL (202) 442-9557.

DEMOLITION PERMIT

THIS PERMIT MUST ALWAYS BE CONSPICUOUSLY DISPLAYED AT THE ADDRESS OF WORK UNTIL WORK IS COMPLETED AND APPROVED

PERMIT NO. D13003	61								Dat	b. 03/26/2	013	
Address of Project: 3400 BENNING RD NE							Zone:	Ward:	Square: PAR	Suffix: 0169	Lot: 0114	
Permission is Hereby Granted To: Pepco Energy Services	Owner Address: 1300 N 17TH STREET, SUITE 1600 22209			00				PERMIT FEE: \$36.30				
Description of Work:		(3)										
Renewal of Demolition Permit #D110036 de-commissioning the plant	2 which	expired 7/01/2012 - D	emolish cooling	towers in Powe	r Plan	t - Own	ors are					
Type of Demolition:	on: Type of Walls: # of Ext. Walls Removed: Existing # of				of Stories:	Area	of Disturbe	d Earth >	50sqft:			
Exterior	NA		0				0					
Roof Remain:	Exis	Existing Use:				posed	Use:	Pla				
No	Uti	Utility					Yes					
Agent Name:	Agent	Address:		Existing Dwell	1	Propo	sed Units:			Floor(s)		
A2z Environmental Group				0		Dire.	0	0				
Conditions/ Restrictions: This Permit Expires if no Construction All Construction Done According To The As a condition precedent to the the work authorized hereby in	o Curre	nt Building Codes An	d Zoning Regula t, the owner	tions; agrees to co	s on	11119	WILL THE P	Montor or				
with all applicable laws and reg to inspect all work authorized with the permit and with all tone(1) year of the date appearli must be made within six months of the	ulations by this he app ng on date ap	of the District of the permit and to plicable regulations this permit or the pearing on this permit.	of Columbia. require any of the Distribe permit is	the District of change in c rict of Colum automatically	onstrunbia.	uction Work If w	which may	be nec under the	essary to	ensuro must s	compliand	
Nicholas A. Majett TO REPORT WASTE, FRAUD OR ABUS			ark Briscoe		PECTO	~~~	ERAL AT 1-8		03/26/2014	,		
FOR CONSTRUCTION INSPECTION II												

Permit Operations Division 1100 4th Street SW Washington DC 20024

Tel. (202) 442 - 4589

Fax (202) 442 - 4862





DEMOLITION PERMIT

THIS PERMIT MUST ALWAYS BE CONSPICUOUSLY DISPLAYED AT THE ADDRESS OF WORK UNTIL WORK IS COMPLETED AND APPROVED

PERMIT NO. D1300	229						Dat	e: 01/11/	2013	
Address of Project: 3400 BENNING RD NE	Ward:	Square: PAR	Suffix: 0169	Lot: 0114						
Permission is Hereby Granted To: Owner Address: 1300 N. 17 STREET SUITE 1500 ARLINGTON, VA 22209 \$36.30							3.30			
Description of Work: Demoiltion of two installed foam supre	ssion systems.		s ,							
Type of Demolition: Exterior	Type of Walls: # of Ext. Walls Removed: Existing # of Stories: Non - Load Bearing 0 0					Area	Area of Disturbed Earth > 50sqft:			
Roof Remain: No	Existing Use: Utility	2000-000000000000000000000000000000000							Plans: Yes	
Agent Name: A2z Environmental Group, Lic.	Agent Address:		Existing Dwell Units: 0		roposed well Units: 0	No. of Stories: Flo Inv				
Conditions/ Restrictions: This Permit Expires if no Construction All Construction Done According To Ti As a condition precedent to the the work authorized hereby in with all applicable laws and reg to inspect all work authorized	ne Current Building Codes An Issuance of this permit accordance with the appulations of the District by this permit and to	d Zoning Regulat t, the owner roved application of Columbia. T	tions; agrees to co on and plans The District o change in co	on fi f Colun enstruction	le with the D abla has the r on which may	istrict Go right to e be nece	vernment inter upon issary to	and in the pro ensure	accordance operty and compliance	
with the permit and with all tone(1) year of the date appears must be made within six months of the Director:	the applicable regulations ing on this permit or the date appearing on this permi	of the Distr he permit is	ict of Colum automatically	bla. We	ork authorized	under th	is Permit	must st	art within	
TO REPORT WASTE, FRAUD OR ABUSTOR CONSTRUCTION INSPECTIONS PLEASE	SE BY ANY DC GOVERNMEN NQUIRIES CALL (202) 442-95:		LEM L THE DC INSP	ECTOR (GENERAL AT 1-80		01/11/2014			

Permit Operations Division 1100 4th Street SW Washington DC 20024 Tel. (202) 442 - 4889 Fax (202) 442 - 4862





FOR CONSTRUCTION INSPECTION INQUIRIES CALL (202) 442-9557 TO SCHEDULE INSPECTIONS PLEASE CALL (202) 442-9557.

DEMOLITION PERMIT

THIS PERMIT MUST ALWAYS BE CONSPICUOUSLY DISPLAYED AT THE ADDRESS OF WORK UNTIL WORK IS COMPLETED AND APPROVED

PERMIT NO. D1300197											
Address of Project: 3400 BENNING RD NE	Ward:	Square: PAR	Suffix: 0169	Lot: 0114							
Permission is Hereby Granted To: Pepco Energy Services		Owner Address: 1300 N 17TH STREET ARLINGTON, VA SUITE 1500 22209 \$419.60									
Description of Work:											
Demolition of 4 above ground storage t 3- 4 oil tanks 1- 2 oil tank	tanks AST.		·								
Type of Demolition:	Туре	of Walls:	# of Ext. Walls	Removed:	Existing #	of Stories:	Area	of Disturbe	d Earth >	50sqft:	
Exterior	Non -	Load Bearing	4			0					
Roof Remain:	Exist	ing Use:			Proposed	l Use:	Plan				
No	Utilit	y			Utility		Yes				
Agent Name:	Agent A	ddress:		Existing Dwel	9 1000 0	oosed all Units:					
A2z Environmental Group				Units'	l Dwe	0	O				
Conditions/ Restrictions: This Permit Expires if no Construction is Started Within 1 Year or if the Inspection is Over 1 Year. All Construction Done According To The Current Building Codes And Zoning Regulations; As a condition precedent to the Issuance of this permit, the owner agrees to conform with all conditions set forth herein, and to perform the work authorized hereby in accordance with the approved application and plans on file with the District Government and in accordance with all applicable laws and regulations of the District of Columbia. The District of Columbia has the right to enter upon the property and to inspect all work authorized by this permit and to require any change in construction which may be necessary to ensure compliance with the permit and with all the applicable regulations of the District of Columbia. Work authorized under this Permit must start within one(1) year of the date appearing on this permit or the permit is automatically void. If work is started, any application for partial refund must be made within six months of the date appearing on this permit.											
Director: Nicholas A. Majett National Market	The The	Eszett	ermit Clerk eith Hawkins	KH		Expiration		01/07/2014			
TO REPORT WASTE, FRAUD OR ABU	SE BY ANY	Y DC GOVERNMEN	T OFFICIAL, CAL	L THE DC INSP	ECTOR GE	NERAL AT 1-	800-521-163	9			